Amendments to the Claims:

The listing of claims will replace all prior versions, and listings, of claims in the application.

Listing of Claims:

 (Currently Amended) A system, executed by a processor, for extending online help for an integrated development environment, comprising:

a help system configured to merge documentation content of an integrated development environment extension with current documentation content of the integrated development environment upon import of the integrated development environment extension into the integrated development environment, wherein the help system includes context-sensitive help topics; and

a help display, wherein search capabilities and table of contents are automatically updated to reflect the documentation content after the integrated development environment extension is imported, wherein the help display is configured to display the documentation content in a web browser;

wherein the documentation content for the integrated development environment extension is integrated with the help system during the import of the integrated development environment extension.

wherein when a control is installed, documentation for the control is integrated with the help system during the installation of the control into the integrated development environment.

wherein the integrated development environment issues a context ID to the help display when a context-sensitive help gesture is performed, wherein the context ID comprises a URN that is a fully qualified Java class name for control classes or an analogous hierarchical name for non-class items, and

wherein the help system is integrated with an extension installation mechanism of the integrated development environment.

- 2-11. (Cancelled)
- 12. (Previously Presented) The system of claim 1 wherein help display is externally controllable.
 - 13-14. (Cancelled)
- 15. (Previously Presented) The system of claim 1 wherein the context-sensitive help topics are organized by a context ID.
 - 16. (Cancelled).
- 17. (Previously Presented) The system of claim 15 wherein the context ID is a fully qualified name from a non-Java resource.
- (Previously Presented) The system of claim 1, wherein the documentation content is in HTML or XML format.
 - 19. (Cancelled)
- 20. (Previously Presented) The system of claim 1, wherein the documentation content supports delivery of help for a particular component in a JAR file.
- 21. (Previously Presented) The system of claim 1, wherein integrated development environment widgets, controls, and control properties are associated with documentation topics that are automatically displayed in the help system when requested by a user performing a context-sensitive help gesture.

- 22. (Cancelled).
- 23. (Previously Presented) The system of claim 1, wherein each control class, method, callback, field, and property has a unique context ID.
 - 24. (Cancelled).
- 25. (Currently Amended) A method for extending online help for an integrated development environment, comprising:

importing an integrated development environment extension into the integrated development environment;

merging documentation content of the integrated development environment extension with current documentation content of the integrated development environment upon import of the integrated

development extension, wherein the documentation content includes context-sensitive help topics with respect to the integrated development environment extension: and

displaying operations for a help system, wherein search capabilities and table of contents are automatically updated to reflect the documentation content after the integrated development environment extension is imported, wherein a help display is configured to display the documentation content in a web browser;

wherein the documentation content for the integrated development environment extension is integrated with the help system during the import of the integrated development environment extension into the integrated development environment.

wherein when a control is installed, documentation for the control is integrated with the help system during the installation of the control into the integrated development environment.

wherein the integrated development environment issues a context ID to the help display when a context-sensitive help gesture is performed, wherein the context ID comprises a URN that is a fully qualified Java class name for control classes or an analogous hierarchical name for non-class items, and

wherein the help system is integrated with an extension installation mechanism of the integrated development environment.

- 26. (Cancelled).
- 27. (Previously Presented) The method of claim 25, wherein the help display is externally controllable.
- 28. (Previously Presented) The method of claim 25, wherein the context-sensitive help topics are organized by a context ID.
 - 29. (Cancelled).
- 30. (Previously Presented) The method of claim 28, wherein the context ID is a fully qualified name from a non-Java resource.
- 31. (Previously Presented) The method of claim 25, wherein the documentation content is in HTML or XML format.
- 32. (Previously Presented) The method of claim 25, wherein the documentation content supports delivery of help for a particular component in a JAR file.
- 33. (Previously Presented) The method of claim 25, wherein integrated development environment widgets, controls, and control properties are associated with documentation topics that are automatically displayed in the help system when requested by a user performing a context-sensitive help gesture.

- 34. (Cancelled).
- 35. (Previously Presented) The method of claim 25, wherein each control class, method, callback, field, and property has a unique context ID.
 - 36. (Cancelled).